






"SUB SEA" PRESSURE GAUGES, TYPE PBX-SS

TYPE PBX-SS, with pressure tight solid barstock case

STANDARD MODEL

CASE	: screwed bezel, AISI316/1.4401, pressure tight for depths down to; see below	RANGE	: 0-6 upto 0-60 bar, acc. to EN 837-1 (see page 55) for higher ranges (max. 1600 bar)
WETTED PARTS	: bourdon tube + connection AISI316Ti/1.4571	ACCURACY	: case Ø 63 : ± 1.6% F.S./ class 1.6 case Ø100 and Ø160 : ± 1.0% F.S. / class 1
WINDOW	: armoured glass 19mm thick (Ø63 15mm)	MOVEMENT	: AISI304/1.4301
DIAL	: aluminium, black figures on white	APPLICATION	: for operating at great depths of sea water and in hyperbaric conditions
POINTER	: aluminium, black	OPTIONS	: see page 57-58
CONNECTION	: Ø63mm: ¼"BSP or ¼"NPT Ø100 and Ø160mm : 1/2 " BSP or 1/2 " NPT		

TYPE	MODEL	CASE DIAMETER (Ø in mm)		
		Ø 63 (upto 1200 m)	Ø 100 (upto 900 m)	Ø 160 (upto 450 m)
A		PBX-SS063XA	PBX-SS100XA	PBX-SS160XA
B		PBX-SS063XB	PBX-SS100XB	PBX-SS160XB
C		PBX-SS063XC	PBX-SS100XC	PBX-SS160XC
D		PBX-SS063XD	PBX-SS100XD	PBX-SS160XD
J		PBX-SS063XJ	PBX-SS100XJ	PBX-SS160XJ
OPTIONS		EXTRA COSTS		
max. 2000m	SPECIAL GLASS 25 mm thick		see page 54-5	N.A.
Lx	GLYCERINE FILLED CASE:*			
	SILICONE OIL FILLED CASE*	PBX-SS063Lx	PBX-SS100Lx	PBX-SS160Lx

* Case filling available starting at 10 bar

SUB SEA PRESSURE GAUGE, TYPE PBX-SS

TYPE	DRAWING	DIMENSIONS mm																																															
A <i>PBX-SSxxxXA</i>		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">DIM.</th> <th colspan="3">CASE DIAMETER</th> </tr> <tr> <th>63</th> <th>100</th> <th>160</th> </tr> </thead> <tbody> <tr><td>A</td><td>80</td><td>124</td><td>170</td></tr> <tr><td>B</td><td>56</td><td>71</td><td>71</td></tr> <tr><td>C</td><td>17,5</td><td>20</td><td>21</td></tr> <tr><td>E</td><td>57</td><td>97</td><td>104</td></tr> <tr><td>T</td><td>13</td><td>20</td><td>20</td></tr> <tr><td>HEX</td><td>14</td><td>22</td><td>22</td></tr> </tbody> </table>	DIM.	CASE DIAMETER			63	100	160	A	80	124	170	B	56	71	71	C	17,5	20	21	E	57	97	104	T	13	20	20	HEX	14	22	22																
DIM.	CASE DIAMETER																																																
	63	100	160																																														
A	80	124	170																																														
B	56	71	71																																														
C	17,5	20	21																																														
E	57	97	104																																														
T	13	20	20																																														
HEX	14	22	22																																														
B <i>PBX-SSxxxXB</i>		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">DIM.</th> <th colspan="3">CASE DIAMETER</th> </tr> <tr> <th>63</th> <th>100</th> <th>160</th> </tr> </thead> <tbody> <tr><td>A</td><td>80</td><td>124</td><td>170</td></tr> <tr><td>B</td><td>61</td><td>76</td><td>76</td></tr> <tr><td>C</td><td>22,5</td><td>25</td><td>26</td></tr> <tr><td>D</td><td>110</td><td>175</td><td>205</td></tr> <tr><td>E</td><td>57</td><td>97</td><td>104</td></tr> <tr><td>F</td><td>5</td><td>5</td><td>5</td></tr> <tr><td>H</td><td>5.2 (3x)</td><td>6.2 (4x)*</td><td>6.2 (4x)*</td></tr> <tr><td>P</td><td>95</td><td>150</td><td>186</td></tr> <tr><td>T</td><td>13</td><td>20</td><td>20</td></tr> <tr><td>HEX</td><td>14</td><td>22</td><td>22</td></tr> </tbody> </table> <p>* 4 holes patern: </p>	DIM.	CASE DIAMETER			63	100	160	A	80	124	170	B	61	76	76	C	22,5	25	26	D	110	175	205	E	57	97	104	F	5	5	5	H	5.2 (3x)	6.2 (4x)*	6.2 (4x)*	P	95	150	186	T	13	20	20	HEX	14	22	22
DIM.	CASE DIAMETER																																																
	63	100	160																																														
A	80	124	170																																														
B	61	76	76																																														
C	22,5	25	26																																														
D	110	175	205																																														
E	57	97	104																																														
F	5	5	5																																														
H	5.2 (3x)	6.2 (4x)*	6.2 (4x)*																																														
P	95	150	186																																														
T	13	20	20																																														
HEX	14	22	22																																														
C <i>PBX-SSxxxXC</i>		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">DIM.</th> <th colspan="3">CASE DIAMETER</th> </tr> <tr> <th>63</th> <th>100</th> <th>160</th> </tr> </thead> <tbody> <tr><td>A</td><td>80</td><td>124</td><td>170</td></tr> <tr><td>B</td><td>56</td><td>71</td><td>71</td></tr> <tr><td>C</td><td>18,5</td><td>30</td><td>33</td></tr> <tr><td>E</td><td>79</td><td>113</td><td>113</td></tr> <tr><td>T</td><td>13</td><td>20</td><td>20</td></tr> <tr><td>HEX</td><td>14</td><td>22</td><td>22</td></tr> </tbody> </table>	DIM.	CASE DIAMETER			63	100	160	A	80	124	170	B	56	71	71	C	18,5	30	33	E	79	113	113	T	13	20	20	HEX	14	22	22																
DIM.	CASE DIAMETER																																																
	63	100	160																																														
A	80	124	170																																														
B	56	71	71																																														
C	18,5	30	33																																														
E	79	113	113																																														
T	13	20	20																																														
HEX	14	22	22																																														
D <i>PBX-SSxxxXD</i>		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">DIM.</th> <th colspan="3">CASE DIAMETER</th> </tr> <tr> <th>63</th> <th>100</th> <th>160</th> </tr> </thead> <tbody> <tr><td>A</td><td>80</td><td>124</td><td>170</td></tr> <tr><td>B</td><td>56</td><td>71</td><td>71</td></tr> <tr><td>C</td><td>17,5</td><td>20</td><td>21</td></tr> <tr><td>D</td><td>110</td><td>175</td><td>205</td></tr> <tr><td>E</td><td>57</td><td>97</td><td>104</td></tr> <tr><td>F</td><td>4</td><td>5</td><td>5</td></tr> <tr><td>H</td><td>5.2 (3x)</td><td>6.2 (4x)*</td><td>6.2 (4x)*</td></tr> <tr><td>P</td><td>95</td><td>150</td><td>186</td></tr> <tr><td>T</td><td>13</td><td>20</td><td>20</td></tr> <tr><td>HEX</td><td>14</td><td>22</td><td>22</td></tr> </tbody> </table> <p>* 4 holes patern: </p>	DIM.	CASE DIAMETER			63	100	160	A	80	124	170	B	56	71	71	C	17,5	20	21	D	110	175	205	E	57	97	104	F	4	5	5	H	5.2 (3x)	6.2 (4x)*	6.2 (4x)*	P	95	150	186	T	13	20	20	HEX	14	22	22
DIM.	CASE DIAMETER																																																
	63	100	160																																														
A	80	124	170																																														
B	56	71	71																																														
C	17,5	20	21																																														
D	110	175	205																																														
E	57	97	104																																														
F	4	5	5																																														
H	5.2 (3x)	6.2 (4x)*	6.2 (4x)*																																														
P	95	150	186																																														
T	13	20	20																																														
HEX	14	22	22																																														
J <i>PBX-SSxxxXJ</i>		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">DIM.</th> <th colspan="3">CASE DIAMETER</th> </tr> <tr> <th>63</th> <th>100</th> <th>160</th> </tr> </thead> <tbody> <tr><td>A</td><td>80</td><td>124</td><td>170</td></tr> <tr><td>B</td><td>56</td><td>71</td><td>71</td></tr> <tr><td>C</td><td>18,5</td><td>30</td><td>33</td></tr> <tr><td>D</td><td>110</td><td>175</td><td>205</td></tr> <tr><td>E</td><td>79</td><td>113</td><td>113</td></tr> <tr><td>F</td><td>4</td><td>5</td><td>5</td></tr> <tr><td>H</td><td>5.2 (3x)</td><td>6.2 (4x)*</td><td>6.2 (4x)*</td></tr> <tr><td>P</td><td>95</td><td>150</td><td>186</td></tr> <tr><td>T</td><td>13</td><td>20</td><td>20</td></tr> <tr><td>HEX</td><td>14</td><td>22</td><td>22</td></tr> </tbody> </table> <p>* 4 holes patern: </p>	DIM.	CASE DIAMETER			63	100	160	A	80	124	170	B	56	71	71	C	18,5	30	33	D	110	175	205	E	79	113	113	F	4	5	5	H	5.2 (3x)	6.2 (4x)*	6.2 (4x)*	P	95	150	186	T	13	20	20	HEX	14	22	22
DIM.	CASE DIAMETER																																																
	63	100	160																																														
A	80	124	170																																														
B	56	71	71																																														
C	18,5	30	33																																														
D	110	175	205																																														
E	79	113	113																																														
F	4	5	5																																														
H	5.2 (3x)	6.2 (4x)*	6.2 (4x)*																																														
P	95	150	186																																														
T	13	20	20																																														
HEX	14	22	22																																														